COREtec®
the Original

PROPLUS

COREtec® PRO SERIES

Where style meets strength.

EN

SK - PL - RU - HU - CZ - LT

From one true original to another, it's a family affair!

The real values in life are those created and found within families; authenticity, trust and the opportunity given to be creative and express yourself.
These same values drive our company and they define our corporate culture.
We saw an opportunity to create a better floor. We chased a dream and created a whole new category along the way. As the innovators of COREtec®, the Original, 100% waterproof floor, we did just that.
Today, our consumers are enjoying our solutions of stylish, strong floors that sustain real family lives - full of entertaining, kids and pets.

"Click, lock, enjoy.
It is as simple as that!"

It all began as an entrepreneurial business in 2001, within our founder's heart and spare bedroom as our "headquarters". With the invention of COREtec®, the original, patented, 100% waterproof floor in 2013, we grew rapidly to become the leading brand of these unique and highly innovative products. We launched our European division in 2016 and that same year were acquired and embraced into the family of Shaw Floors, an industry leader and subsidiary of Berkshire Hathaway, led by the world-renowned investor, Warren Buffett.

We've come a long way from where we started to where we are now. But those family values guide us still. Led by management and embraced by every employee, dealer, and partner, we are recognized as the problem-solvers, innovators and design enthusiasts. Today we offer an incredible range of resilient, durable floors that can be purchased, installed and lived upon in one single day.
Click, lock, enjoy. It is as simple as that!

The most difficult task will be choosing from our wide variety of life-like decors. But don't worry, you are sure to find one to match your style because we have a floor for every personality.

Welcome to our family, We promise to remain authentic to the core.
What's in your core?

Your COREtec® floor
always fits your style & stands up to real life, it's engineered for simplicity.

Always fits your style
We have a passion for providing a wide selection of authentic natural looks, so you can express what makes you, you. Persistent in product innovation – including micro-beveled edges, enhanced painted bevels and Embossed in Register technology – we create the most appealing designs and textures available.

Stands up to real life
Our floors are 100% waterproof, kid proof and pet proof. Try them in your kitchen or bathroom: they won't warp or buckle, even if submerged in water. Our 100% waterproof core, resilient vinyl and protective wear layer will keep your floor looking good for the life of your home. So naturally, all COREtec® floors come with a limited lifetime residential warranty.

Is engineered for simplicity
COREtec® is easy to install, to care for and to live with. Its secure angle tap system doesn't require any glue or nails and can be installed over existing floors without additional underlayment. Forget about sanding, polishing, sealing or refinishing: our floors are maintenance-free.

There's a million reasons to choose COREtec®, but here's our top 6.

Our floors:

- ✓ Are extremely stable
- ✓ Reduce noise
- ✓ Are wear resistant
- ✓ Do not need to acclimate
- ✓ Are suitable for underfloor heating & cooling
- ✓ Install on any surface

Cork,
the natural choice

All our floors have a unique attached cork underlayment.
Why? It's warmer, quieter and easily installs over existing hard surfaces, perfectly concealing imperfections in subfloors.
And: it's one of the most sustainable materials out there. Cork is harvested from the cork tree and can be re-harvested every decade without damaging the tree. A natural solution that brings only benefits to your home or business:

- added sound insulation
- a comfortable and warmer floor
- a natural protection against mold & mildew
- no need for separate underlayment
- absorbs subfloor imperfections

PRO CORE

The original 100% waterproof floor, with extra dent & impact resistance.



- 100% waterproof
- Extremely stable
- Pet proof
- Reduces noise
- Easy to install
- Wear resistance
- Installation on any surface
- No acclimatisation necessary
- Ideal for underfloor heating & cooling
- Electrostatic performance

PROPLUS
COREtec® PRO SERIES

COREtec® Floors for high demands.

The unique COREtec® technology, for commercial project flooring.

COREtec® PRO SERIES

“easy installation”

PARRISH
50 RLV 1215

OPERA
50 RLV 1211

HARPA
50 RLV 1212

PIANO
50 RLV 1213

PEROT
50 RLV 1214

METROPOL
50 RLV 1216

ABSOLUTE
50 RLV 1217

KINGDOM
50 RLV 1228

COSMOPOLITAN
50 RLV 1221

"inspiring decors"

DREW
50 RLV 1222

1520 x 183 mm

4V-GROOVE

COREtec PRO SERIES

“new build or renovation”

MILLAU
50 RLV 1224

DOME
50 RLV 1225

ONTARIO
50 RLV 1226

PETRONAS
50 RLV 1223



WILLIS
50 RLV 1227

1520 x 183 mm

4V-GROOVE

UNION
50 RLV 1229

ARIA
50 RLV 1230

MIRAGE
50 RLV 1218

1220 x 183 mm

LUXOR
50 RLV 1219

BELLAGIO
50 RLV 1220

CANDLER
50 RLV 1209

CENTURY
50 RLV 1204

CHERKIN
50 RLV 1206

1220 x 183 mm

TORSO
50 RLV 1210

PROMENADE
50 RLV 1208

IMPERIAL
50 RLV 1207

STARDUST
50 RLV 1205

1220 x 183 mm

COREtec PRO SERIES

"authentic designs"

KRONOS
50 RLV 1203

COMCAST
50 RLV 1201

ORIENTAL
50 RLV 1202

COREtec PRO SERIES

610 x 472 mm



CRISTAL
50 RLV 1701

STRATOSPHERE
50 RLV 1702



MILLENNIUM
50 RLV 1703

BEAUFORT
50 RLV 1704

ACCESSORIES

Paintable skirtings

Our paintable skirtings are 100% waterproof & shock resistant.

14 cm 1.8 cm 2 m
7OPSK2000-1

10 cm 1.3 cm 2.3 m
7OPSK2300-3

10 cm 2 cm 2 m
7OPSK2000-2



6.5 cm 1.3 cm 2.3 m
7OPSK2300-2



4 cm 1 cm 2.3 m
7OPSK2300-1

Matching design accessories

Our design accessories match the design of your floor & are also 100% waterproof & shock resistant.

7 cm 1.6 cm 2.4 m
7OSK3 X
(.... = Matching design Ref.)

5.8 cm 1.3 cm 2.4 m
7OMD3 X
(.... = Matching design Ref.)

PEROT
50 RLV 1214

INSTALLATION

Easy to install

COREtec® floors have the easiest install in the market. Follow the steps or watch our installation video on our website. Just scan the QR code or surf to www.coretecfloors.com

1



2



3


4

5


6

7

8


9

MAINTENANCE

The COREtec® Clean, quick & green kit:

- Daily cleaner
- Deep cleaner
- Stain remover

8O CCS 3400

COREtec® PRO SERIES

PROPLUS

COREtec® PRO SERIES

5,00 mm
(EN ISO 24346)

0,55 mm
(EN ISO 24340)

PLANKS
183 x 1520 mm
183 x 1220 mm

TILES
472 x 610 mm

PLANKS 1520
10 pcs
2,78 m²
23 kg

PLANKS 1220
12 pcs
2,68 m²
22,60 kg

TILES
10 pcs
2,88 m²
24,25 kg

LEVEL OF USE
Úroveň použitia / Klasa ścieralności / Класс использования / Európai besorolás / Úroveň použití / Atsparumo klasė
Class 23 / 33 / 41 (EN ISO 10874)

GEOMETRICAL CHARACTERISTICS
Geometrické parametre / Charakterystyka geometryczna / геометрические характеристики / Geometriai jellemző / Rozměry / Geometrinės savybės
Compliant (ISO 24337)

WEAR RESISTANCE
Odolnosť voči opotrebeniu / Wytrzymałość na zużycie / износостойкость / Kopásállóság / Odolnost proti opotřebení / Atsparumas dilimui
Pass 4000 cycles (EN 13329 Annex E)

CASTOR CHAIR RESISTANCE
Odolnosť voči kolieskam na stoličke / Odporność na krzesła obrotowe z kółkami / Стойкость к креслам с роликами / Görgős szék teszt / Odolnost vůči kolečkovým židlým / Atsparumas kėdžių ratukams
Pass 25000 cycles (EN 425)

EFFECT OF FURNITURE LEG
Efekt z nôh nábytku / Wpływ nogi meblowej / воздействие мебельных ножек / Bútorlábhatás / Vliv nábytkové nožky / Baldų poveikis
No visible change (EN 16581)

RESIDUAL INDENTATION
Trvalá deformácia / Pozostałe wgniecenie / остаточные вмятины / Megmaradó benyomódás / Trvalá deformace / Likęs įdubimas
≤ 0.10 mm (EN ISO 24343-1)

RESISTANCE TO STAINING
Odolnosť voči napúšťaniu farbou / Odporność na barwienie / устойчивость к пятнообразованию / Foltállóság / Odolnost proti vzniku skvrn / Atsparumas dėmėms
5 (no visible change) (EN 438-2)

LOCKING STRENGTH
Pevnosť pripojenia / Wytrzymałość blokowania / прочность крепления / Záróerő / Pevnost zajištění / Blokavimo jėga
LS ≥ 2.0 / SS ≥ 3.5 (EN 24334)

DIMENSIONAL STABILITY
Rozmerová stabilita / Stabilność wymiarowa / Стабильность размеров / Méretstabilitás / Rozměrová stabilita / Matmenų stabilumas
Pass ≤ 0.25% (EN ISO 23999)

COLOUR FASTNESS TO LIGHT
Stálosť farby na svetle / Odporność koloru na światło / Устойчивость окраски к свету / Színtartósság / Stálobarevnost na světle / Spalvų atsparumas šviesai
> grade 6 (ISO 105-B02)

IMPACT SOUND REDUCTION
Akustická izolácia / Izolacja akustyczna / Звукоизоляция / Hangszigetelés / Akustická izolace / Garso slopinimas
ΔLw = 17 dB (ISO 10140-3/ EN 717-2)

FORMALDEHYDE EMISSION CLASS
Formaldehydová skupina / Emisja formaldehydu / Класс эмиссии формальдегида / Formaldehyd csoport / Formaldehydová skupina / Formaldehyde group
E1 (EN 717-1)

FIRE CLASSIFICATION
Klasifikácia voči požiaru / Klasyfikacja ogniowa / Класс огнестойкости / Tűzállósági osztály / Požární klasifikace / Degumo klasifikacija
Bfl - S1 (EN 13501)

SLIP RESISTANCE
Protišmykovosť / Śliskość / Стойкость к скольжению / Csúszásmentes / Protiskluznost / Slidumo klasė
DS - R10 (EN 13893 / DIN 51130)

UNDERFLOOR HEATING
Podlahové vykurovanie / Ogrzewanie podłogowe / Полы с подогревом / Padlófűtésre / Podlahové vykurování / Šildomos grindys
Suitable

ELECTROSTATIC PERFORMANCE
Elektrostatické prevedenie / Akumulacja ładunków elektrostatycznych / Электростатичность / Elektromos feltöltődés / Elektrostatické provedení / Antistatiškumas
≤ 2 kV (EN 1815)

THERMAL RESISTANCE
Tepelná odolnosť / Odporność cieplna / Термостойкость / Hőállóság / Teplotní odolnost / Terminis atsparumas
0.0318 m²-K/W



LIFETIME WARRANTY RESIDENTIAL

10 YEAR WARRANTY COMMERCIAL

Warranty (Years) The warranty covers manufacturing defects and premature wear in the event of normal use.
Záruka (rok) Záruka sa vzťahuje na výrobné chyby a predčasné opotrebenie v prípade bežného používania.
Termin gwarancji (rok) Gwarancja obejmuje wadyfabryczne i przedwczesne zużycie w przypadku normalnego użytkowania.
Гарантия (лет) Гарантия покрывает производственные дефекты и преждевременный износ при нормальном использовании.
A garancia gyártási hibákra és idő előtti elhasználódásra általános használatnál érvényes.
Záruka (rok) Záruka se vztahuje na vady z výroby a předčasné opotřebení v případě běžného používaní.
Garantija (Metai) Garantija taikoma gamybos trūkumams ir per greitam nusidėvėjimui eksploatuojant normaliomis sąlygomis

COREtec®
FLOORS

Souverainestraat 27 - 9770 Kruisem (Belgium)
info@usfloors.be · www.coretecfloors.com

2-2021 / EN-E-EUROPE - 21 BROC 004-6 / The flooring in this document is reproduced as accurately as achievable by printing techniques. Information in this document is subject to change. Value: €2,50